JOURNAL OF CHROMATOGRAPHY B

VOL. 690, NOS. 1 + 2 7 MARCH 1997

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Clinical Chemistry Lookout, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Pharmaceutical Abstracts, Referativnyi Zhurnal, Research Alert, Science Citation Index and Trends in Biotechnology)

Regular Papers

Determination of *p*-hydroxyphenylpyruvate, *p*-hydroxyphenyllactate and tyrosine in normal human plasma by gas chromatography–mass spectrometry isotope-dilution assay
by J.C. Deutsch (Denver, CO, USA) (Received 23 August 1996) 1

Liquid chromatographic–atmospheric pressure chemical ionization mass spectrometric determination of anandamide and its analogs in rat brain and peripheral tissues
by D. Koga, T. Santa, T. Fukushima, H. Homma and K. Imai (Tokyo, Japan) (Received 6 August 1996) 7

Fluorimetric assay of 1α,25-dihydroxyvitamin D_3 in human plasma
by M. Shimizu, X. Wang and S. Yamada (Tokyo, Japan) (Received 31 May 1996) 15

Liquid chromatographic measurement of L-ascorbic acid and D-ascorbic acid in biological samples
by S.A. Margolis (Gaithersburg, MD, USA) and R. M. Schapira (Milwaukee, WI, USA) (Received 14 June 1996) 25

Determination of creatinine and other uremic toxins in human blood sera with micellar electrokinetic capillary electrophoresis
by T.C. Tran, T.A. Huq, H.L. Kantes, J.N. Crane and T.G. Strein (Lewisburg, PA, USA) (Received 8 August 1996) 35

Metalloprotein analysis by capillary isoelectric focusing
by M.P. Richards (Beltsville, MD, USA) and T.-L. Huang (Fullerton, CA, USA) (Received 7 August 1996) 43

Biotransformation of 17-alkylsteroids in the equine: gas chromatographic–mass spectral identification of ten intermediate metabolites of methyltestosterone
by S.M.R. Stanley, L. Smith and J.P. Rodgers (Johannesburg, South Africa) (Received 2 August 1996) 55

Direct determination of anabolic steroid conjugates in human urine by combined high-performance liquid chromatography and tandem mass spectrometry
by K.A. Bean and J.D. Henion (Ithaca, NY, USA) (Received 21 August 1996) 65

Simultaneous gas chromatographic determination of methamphetamine, amphetamine and their *p*-hydroxylated metabolites in plasma and urine
by S. Cheung, H. Nolte, S.V. Otton, R.F. Tyndale, P.H. Wu and E.M. Sellers (Toronto, Canada) (Received 19 July 1996) 77

Modified method of nalbuphine determination in plasma: validation and application to pharmacokinetics of the rectal route
by E. Nicolle, S. Veitl, C. Guimier and G. Bessard (Grenoble, France) (Received 22 July 1996) 89

Determination of melanotan II in rabbit urine using solid-phase extraction sample preparation followed by reversed-phase high-performance liquid chromatography
by A.E. Walters, P.B. Myrdal, S. Pinsuwan, A.M. Manka and S.H. Yalkowsky (Tucson, AZ, USA) (Received 2 August 1996) . 99

Gas chromatographic–mass spectrometric analysis of the loop diuretic torasemide in human urine
by M.B. Barroso (Bilbao, Spain), H.D. Meiring and A. de Jong (Bilthoven, Netherlands) and R.M. Alonso and R.M. Jiménez (Bilbao, Spain) (Received 13 August 1996) 105

Gas chromatography–atomic emission detection for the measurement of isotopes. Application to bioequivalence studies
by W. Elbast, F. Besacier, D. Deruaz and J.L. Brazier (Lyon, France) (Received 8 July 1996) 115

Capillary gas chromatographic determination of permethrin insecticide by transesterification
by W.G. Taylor, D.D. Vedres and T.W. Hall (Lethbridge, Canada) (Received 30 July 1996) 123

Chromatographic analysis of the enantiomers of ifosfamide and some of its metabolites in plasma and urine
by G.P. Kaijser (Utrecht, Netherlands), J.H. Beijnen (Amsterdam, Netherlands), A. Bult (Utrecht, Netherlands), H.J. Keizer (Leiden, Netherlands) and W.J.M. Underberg (Utrecht, Netherlands) (Received 2 July 1996) 131

(Continued overleaf)

Contents (continued)

Methods to reduce background interferences in electron-capture gas chromatographic analysis of valproic acid and its unsaturated metabolites after derivatization with pentafluorobenzyl bromide
by R.L. Dills and D.D. Shen (Seattle, WA, USA) (Received 20 August 1996) 139

Selective determination of sultopride in human plasma using high-performance liquid chromatography with ultraviolet detection and particle beam mass spectrometry
by N. Jitsufuchi, K. Kudo, H. Tokunaga and T. Imamura (Fukuoka, Japan) (Received 16 August 1996) 153

Comparison and evaluation of the specificity and binding capacity of commercial and in house affinity columns used in sample preparation for analysis of growth-promoting drugs
by S.R.H. Crooks, C.T. Elliott, C.S. Thompson and W.J. McCaughey (Belfast, UK) (Received 26 July 1996) 161

Use of metal chelate affinity chromatography and membrane-based ion-exchange as clean-up procedure for trace residue analysis of tetracyclines in animal tissues and egg
by S.M. Croubels, K.E.I. Vanoosthuyze and C.H. Van Peteghem (Ghent, Belgium) (Received 26 July 1996) 173

High-performance liquid chromatographic assay for cefepime in serum
by H. Elkhaïli, L. Linger, H. Monteil and F. Jehl (Strasbourg, France) (Received 2 August 1996) 181

Quantification of ketoprofen enantiomers in human plasma based on solid-phase extraction and enantioselective column chromatography
by J. Boisvert and G. Caillé (Montréal, Canada) and I.J. McGilveray and S.A. Qureshi (Ottawa, Canada) (Received 9 July 1996) 189

On-line solid-phase extraction and high-performance liquid chromatographic determination of chlorthalidone in urine
by S. Salado C. and L.E. Vera-Avila (Mexico, Mexico) (Received 21 August 1996) 195

Determination of nalbuphine in human plasma by high-performance liquid chromatography with electrochemical detection. Application to a pharmacokinetic study
by F. de Cazanove and J.-M. Kinowski (Nîmes, France), M. Audran and A. Rochette (Montpellier, France) and F. Bressolle (Nîmes and Montpellier, France) (Received 25 July 1996) 203

Determination of clozapine and its major metabolites in human plasma and red blood cells by high-performance liquid chromatography with ultraviolet absorbance detection
by C. Guitton, J.-M. Kinowski and R. Aznar (Nîmes, France) and F. Bressolle (Nîmes and Montpellier, France) (Received 25 July 1996) 211

Automated on-line dialysis, trace enrichment and high-performance liquid chromatography. Inhibition of interaction with the dialysis membrane and disruption of protein binding in the determination of clozapine in human plasma
by K. Johansen, M. Krogh and K.E. Rasmussen (Oslo, Norway) (Received 22 August 1996) 223

Investigation of the stereoselective in vitro biotransformation of glutethimide by high-performance liquid chromatography and capillary electrophoresis
by C. Weinz and G. Blaschke (Münster, Germany) and H.-M. Schiebel (Braunschweig, Germany) (Received 15 August 1996) 233

Determination of melarsoprol in biological fluids by high-performance liquid chromatography and characterisation of two stereoisomers by nuclear magnetic resonance spectroscopy
by Ö. Ericsson, E.K.H. Schweda, U. Bronner, L. Rombo, M. Fridén and L.L. Gustafsson (Huddinge, Sweden) (Received 14 August 1996) 243

Determination of pyronaridine in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies
by S.D. Jayaraman, S. Ismail, N.K. Nair and V. Navaratnam (Penang, Malaysia) (Received 29 August 1996) 253

Determination of artemether and its major metabolite, dihydroartemisinin, in plasma using high-performance liquid chromatography with electrochemical detection
by J. Karbwang, K. Na-Bangchang, P. Molunto, V. Banmairuroi and K. Congpuong (Bangkok, Thailand) (Received 29 July 1996) 259

Determination of methotrexate and its main metabolite 7-hydroxymethotrexate in human urine by high-performance liquid chromatography with normal solid-phase extraction
by T. Hirai, S. Matsumoto and I. Kishi (Saitama, Japan) (Received 30 July 1996) 267

Analysis of the imidazoacridinone C1311 by high-performance liquid chromatography
by C.R. Calabrese and P. M. Loadman (Bradford, UK) (Received 1 August 1996) 275

Contents (continued)

Determination of a new podophyllotoxin derivative, TOP-53, and its metabolite in rat plasma and urine by high-performance liquid chromatography with electrochemical detection
by R. Kitamura, T. Bandoh, M. Tsuda and T. Satoh (Tokushima, Japan) (Received 5 August 1996) 283

Isocratic high-performance liquid chromatographic determination of thiacetazone by direct injection of plasma into an internal surface reversed-phase column
by D. Song, M.G. Wientjes and J.L.-S. Au (Columbus, OH, USA) (Received 31 July 1996) 289

High-performance liquid chromatographic determination of 9-(3-pyridylmethyl)-9-deazaguanine (BCX-34) in biological fluids
by J. Yan and Z. Lu, G.M. Walsh, R.H. Wheeler and R.B. Diasio (Birmingham, AL, USA) (Received 18 July 1996) 295

Highly sensitive high-performance liquid chromatographic determination method for a new erythromycin derivative, EM523, and its major metabolites in human plasma and urine using post-column tris(2,2′-bipyridine) ruthenium(III) chemiluminescence detection
by H. Monji, M. Yamaguchi, I. Aoki and H. Ueno (Osaka, Japan) (Received 27 August 1996) 305

High-performance thin-layer chromatographic determination of ibuprofen in plasma
by T.K. Save, D.V. Parmar and P.V. Devarajan (Mumbai, India) (Received 9 July 1996) 315

Application of capillary zone electrophoresis in cephalosporin analysis
by Y. Mrestani, R. Neubert and J. Schiewe (Halle/S, Germany) and A. Härtl (Jena, Germany) (Received 27 August 1996) . . . 321

Short Communications

Analysis of selenium in bovine liver by gas chromatography with mass-selective, electron-capture and nitrogen–phosphorus detection
by A.K. Singh, T. White, T. Arendt and Y. Jiang (St Paul, MN, USA) (Received 9 August 1996) 327

Oxygenation of 5,8,11-eicosatrienoic acid by prostaglandin H synthase-2 of ovine placental cotyledons: isolation of 13-hydroxy-5,8,11-eicosatrienoic and 11-hydroxy-5,8,12-eicosatrienoic acids
by E.H. Oliw and L. Hörnsten (Uppsala, Sweden) and H. Sprecher (Columbus, OH, USA) (Received 30 July 1996) 332

Analysis of dipalmitoyl phosphatidylcholine in amniotic fluid by high-performance liquid chromatography
by J.G. Alvarez, B. Slomovic and J. Ludmir (Boston, MA, USA) (Received 28 August 1996) 338

Assay of soluble guanylate cyclase activity by isocratic high-performance liquid chromatography
by P.G. Pietta, P.L. Mauri, C. Gardana and L. Benazzi (Milan, Italy) (Received 26 August 1996) 343

Characterization of monoglucuronides of vitamin D_2 and 25-hydroxyvitamin D_2 in rat bile using high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry
by K. Shimada, K. Mitamura and I. Nakatani (Kanazawa, Japan) (Received 2 August 1996) 348

Determination of vitamin E in human plasma by high-performance liquid chromatography
by J.D.H. Cooper (Kenilworth, UK) and R. Thadwal and M.J. Cooper (Leicester, UK) (Received 9 April 1996) 355

Stereoselective determination of mepivacaine in human serum using a brush-type chiral stationary phase and solid-phase extraction
by M. Siluveru and J. T. Stewart (Athens, GA, USA) (Received 14 June 1996) 359

Determination of acyclovir and its metabolite 9-carboxymethoxymethylguanine in serum and urine using solid-phase extraction and high-performance liquid chromatography
by J.-O. Svensson, L. Barkholt and J. Säwe (Huddinge, Sweden) (Received 3 September 1996) 363

Rapid, sensitive high-performance liquid chromatographic method for the determination of cyclosporin A and its metabolites M1, M17 and M21
by G. Khoschsorur, H.J. Semmelrock, S. Rödl, T. Auer, W. Petek, F. Iberer and K.H. Tscheliessnigg (Graz, Austria) (Received 26 July 1996) 367

Development and validation of an ion-pair liquid chromatographic method for the quantitation of sodium cromoglycate in urine following inhalation
by O.A. Aswania, S.A. Corlett and H. Chrystyn (Bradford, UK) (Received 29 July 1996) 373

Author Index Volume 690 379

Compound Index Volume 690 383

The table of contents of *Journal of Chromatography* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc